INDEX

Aamodt, T. L., 694
Ablabia longana, 561
Acarina, 858
Achorutes armatum, 202
Adams, Bristow, 687
Adelges piceae, 340
Aedes aegypti, 993
Aedes dorsalis, 995
Aegeria exitiosa, 771
aegypti, Aedes, 993
aenea, Pomphopoea, 73
agaraci, Megaselia, 203
Agrilus bilineatus, 199
Agriotes mancus, 308
Airplanes and insects, 239
Aldrich, J. M., 239
Aleurodicus cardini, 564
Alfalfa weevil, 960, 1119
aliena, Plectris, 721
Allorhina nitida, 69
Alsophila pometaria, 195
alvei, Bacillus, 656
American Association of Economic Entomologists
  Business, 2
  Cotton states branch, 5
  Eastern branch, 5
  Eastern branch, 181
  Endowment committee, 13
  Executive committee report, 9
  Extension section, 669
  Membership, 27
  Nominations, 29
  Pacific slope branch, 5
  Permanent fund, 15
  Publicity, 29
  Resolutions, 27, 595
  Special committee, 22
americana, Periplaneta, 1171
Anacentrinus subnudus, 563
Anarhopus sydneyensis, 966
ancylivorus, Macrocentrus, 1196
Anderson, E. J., 648
Anderson, L. D., 102, 388
Andes, J. O., 785
Andricus coronus, 197
Angoumois moth, 768
angularis, Macrotristria, 888
angustiorana, Batodes, 561
Anomis impasta, 761
Anopheles maculipennis, 995
antennaepes, Linapodes, 207
Anthomyia brassicae, 303
Aonidiella aurantii, 1042, 1083
apache, Diceroprocta, 886, 888, 889
Aphis maidis, 827
Aphis rumicis, 398
Aphodius fimetarius, 206
Apicultural section, 596
Apiculture problems, 598
apis, Streptococcus, 656
Apple curculio, 291, 367
Apple leaf-curling midge, 355
  leafhopper, 361
  maggot, 291, 352, 683
"Apple plug" technic, 1140
areolata, Platypedia, 888
armatum, Achorutes, 202
Arsenic deposit, 410
Arsenical residues, 848
Arsenicals, 156, 417
Ascogaster carpocapsae, 379
Asiatic garden beetle, 476
Asquith, Dean, 641
assimilis, Gryllus, 744
atratus, Taeniothrips, 565
aurantii, Aonidiella, 1042, 1083
auricularia, Forficularia, 566, 919
australasiae, Cyclochila, 888
Autographa brassicae, 388, 441
Autoserica castanea, 476
avellanae, Eriophyes, 565

Bacillus alvei, 656
  larvae, 603
  pluton, 656
Bacterium eurydice, 656
Bailey, S. F., 879
Baker, W. L., 320
Baker, W. M., 1104
Ball, E. D., 945
Balock, J. W., 491
Balsam woolly aphid, 340
Bare, C. O., 180, 721
Barium fluosilicate, 73, 1103
Barnes, D. F., 859, 860, 1067, 1072, 1075
Bartlett, K. A., 1147
bassiana, Beauveria, 1147
Batodes angustiorana, 561
Beal, J. A., 1132
Bean weevil, 405
Beattie, R. Kent, 569
Beauveria bassiana, 1147
Bee hives, 702
Beech scale, 200, 327
Beekeeping, 596, 648
Beet leafhopper, 945, 1196
Bentonite compounds, 432
Berry, L. J., 382
Bigger, J. H., 121

bilineatus, Agrilus, 199
Billings, S. C., 401
Biological control, 44
Birch sawfly miner, 342
Birds and leafhopper, 1196
Bissell, T. L., 1128
biselliella, Tineola, 860
Blanchard, R. A., 262
Blanton, F. S., 713, 845
Blissus leucopterus, 854
Blister beetles, 73, 1103
Boll weevil, 745, 749, 762
Bordeaux mixture, 525
Bordeaux oil sprays, 845
Borden, A. D., 834
Bosch, Wouter, 652
bouliana, Rhyacionia, 197
Bourne, A. I., 352, 861
Bowe, E. E., 298
Box elder bug, 1196
brachialis, Bruchus, 562
Brachyrhinus cribricollis, 562
  ligustici, 562
Bradley, G. H., 289
Bran bug, 1131
Brannon, L. W., 1103
brassicae, Anthomyia, 303
  Autographa, 388, 441
Breakey, E. P., 393
Bregmatothrips iridis, 565
brevipes, Daihinia, 565
Britton, W. E., 572, 590
Brower, A. E., 342
Brown, R. C., 327
Bruchus brachialis, 562
  pisorum, 534, 981
Brunson, M. H., 514
Bryson, H. R., 827
Buchanan, J. H., 652
Bulb fly, lesser, 713, 845
  mite, 1159
Bumblebees, 726
buoliana, Rhyacionia, 208, 334, 344, 572
Burdette, R. C., 213
Burgess, A. F., 585
Burks, B. D., 1101
Burnside, C. E., 656
Butcher, F. G., 106

Cabbage looper, 388
  worms, 440, 1101
Cacoecia conflictana, 560
calcitrans, Stomoxys, 1197
Calcium arsenate, 421
  carbonate, 1131
Campbell, F. L., 1176
Campodea fragilis, 743
Canker worm, 195
capitata, Ceratitis, 891, 897, 908, 914, 1100
cardini, Aleurodicus, 564
carduidactyla, Platyptilia, 1062
Carineta fasciculata, 885
Carpocapsa pomonella, 134, 139, 141, 143, 145, 146, 218, 222, 225, 229, 232, 240, 244, 249, 346, 370, 379
carpocapsae, Ascogaster, 379
Carpophilus hemipterus, 860
Carter, R. H., 848, 863
caryae, Curculio, 1128
castanea, Autoserica, 476
Catalase content, 290
Cattle tick, 46
Cavitt, H. S., 820
Cedar oil, 401
Centeter unicolor, 486
Cephalonomia gallicola, 801
Ceratitis capitata, 891, 897, 908, 914, 1100
cerealella, Sitotroga, 768
Ceutorhynchus tau, 563
Chalcids, parasitic, 861
Chaoborus lacustris, 1056
Chapin, E. A., 722
Chapman, A. J., 820
Chapman, P. J., 421
Cherry case bearer, 1142
Chestnut borer, 2-lined, 199
Chicago exposition, 21
Chinch bug, 121, 854, 1100
Chrysobothris fragariae, 561
Chrysoclista linneella, 560
Cicada erratica, 887
  orni, 888
Cicadas, 884
Ciceroprocta vitripennis, 887
Cigarette bettle, 796, 801
cilipes, Forcipomyia, 206
cinctifera, Diceroprocta, 885, 888
  Tibicen, 886
cinctipennis, Closterocerus, 761
Citrus thrips, 1100
Cleveland, C. R., 269
Clidophleps distanti, 888
Cline, H. F., 265
Closterocerus cinctipennis, 761
Clothes moths, 401, 860, 862, 1095
Clover leaf weevil, 813
  root curculio, 807
Cnemidophorus gularis, 1003
  tessellatus, 1003
cockerelli, Paratrioza, 547
Cockerell, T. D. A., 1198
Cockroach, American, 1171
Codling moth control, 18, 134, 139, 141, 143, 145, 146, 218, 222, 225, 229, 232, 240, 244, 249, 279, 346, 370, 379, 410, 432, 505, 509, 682, 722, 873, 1058, 1102, 1192

Coleophora laricella, 197
pruniella, 1142
salmani, 561
Collins, C. W., 320
Collins, D. L., 370, 379
Colman, Wallace, 860
comes, Erythroneura, 1064
Compere, Harold, 966
conflictana, Cacoecia, 560
confusum, Tribolium, 290, 405, 843, 1131
Contarinia gossypii, 758
Corn borer, European, 719
ear worm, 213
coronus, Andricus, 197
Cory, E. V., 509
Cotinis texana, 1110
Cotton boll weevil, 42
bud maggot, 758
states branch, 731
business proceedings, 732
thrips, 740, 1158
Cowan, F. T., 705
Craig, R., 1029
crataegi, Glossonotus, 365
Creosote oil, 785
Crews, Arthur, 614
cribricollis, Brachyrhinus, 562
Crop Protection Institute, 11
Crosby, C. R., 677, 1196
Crotophytus collaris, 999
wislizenii, 999
cruentifera, Okanagana, 887
Cryolite solvents, 863
Cryptococcus fagi, 200, 327, 563
Crypticus obsoletus, 561
cucumeris, Epitrix, 102, 118
Culex federalis, 1020
pipiens, 1176
quinquefasciatus, 289, 1176
territans, 1176
cupressi, Susana, 565
Curculio caryae, 1128
cushmani, Microbracon, 859
Cutright, C. R., 417
Cyanates, 1176
cyaneus, Lepidocyrtus, 202
Cyanide fumigation, 1042, 1083
Cybocephalus sp., 723
Cyclochila australasiae, 888
cylindricollis, Sitona, 562
Cyllene robiniae, 199
Cyrtopeltis geniculata, 564

Daihinia brevipes, 565
Dasyneura mali, 355, 564
pyri, 565
Davis, A. C., 518
davisi, Tibicen, 564, 885
Dean, R. W., 421
Decker, G. C., 854
Defoaming material, 259
De Long, D. M., 53, 525
deOng, E. R., 1131
Dendroctonus brevicomis, 1132
frontalis, 716, 1132
Derris, 388, 393, 440, 446, 1101
Desmia funeralis, 859
Diachasma fullawayi, 891
tryoni, 891
Diamond-back moth, 388
Diatraea saccharalis, 789
Diceroprocta apache, 886, 888, 889
cinctifera, 885, 888
Dickison, Wm., 112
didymus, Tricholophus, 563
Dietz, Harry F., 73
Digonochaeta setipennis, 863
Dimick, R. E., 865
Diprion polytomum, 565
dorsalis, Aedes, 995
Disease transmission, 58
dispar, Porthetria, 197, 320
distanti, Clidophleps, 888
Disulfides, 1176
Dolichopus ramifer, 1198
dominica, Rhizopertha, 768
Donohoe, H. C., 859, 1067, 1072, 1075
Driggers, B. F., 249, 432
Dugas, A. L., 788
Dudley, J. E., 262
Dunham, W. E., 601, 611
Dutch elm disease, 315, 569, 858

Earwig, 566, 919
Eckert, J. E., 629, 1079
Economic entomology, 37
Eddy, C. O., 398
Eelworm, 1189
elisus, Lygus, 265
Ellsworth, J. K., 1055
Elm bark beetle, 315
leaf beetle, 196
elutella, Ephestia, 1071
emarginata, Telsimia, 723
Empoasca fabae, 80, 525
Empusa sphaerosperma, 861
Encephalomyelitis, equine, 987
Entomological equipment, 1106
research, 22
Entomology, popularizing, 687
Ephestia elutella, 1070
figulilella, 860, 1062, 1067, 1070, 1072, 1075
kuehniella, 1071
Ephestiodes nigrella, 1071
Epicaerus imbricatus, 813
Epicauta marginata, 73, 1103
pennsylvanica, 73
Epinotia subviridis, 560
Epitrix cucumeris, 102, 118
Eriophyes avellanae, 565
gossypii, 760

Eriosoma lanigerum, 779
erratica, Cicada, 887
Erythroneura comes, 1064
Essig, E. O., 724, 960, 1119
Ethylene oxide, 405
Eucosma gloriola, 198, 560
Eumerus tuberculatus, 713, 845
European corn borer, 19, 1147
eurydice, Bacterium, 656
exitiosa, Aegeria, 771
Experimental data, 185
Extension entomologist, 669, 677, 679, 685
Eyer, G. R., 723
Ezell, H. O., 1189

fabae, Empoasca, 80, 525
fagi, Cryptococcus, 200, 327, 563
farinalis, Pyralis, 1071
fasciculata, Carineta, 885
federalis, Culex, 1020
Federal entomology, 41
Felt, E. P., 195, 299, 315, 481, 726, 1106, 1200
Fidicina pullata, 885
Field cricket, 744
Field technique, 1166
figulilella, Ephestia, 860, 1062, 1067, 1070, 1072, 1075
Filmer, R. S., 191
fimetarius, Aphodius, 206
Fish meal, 862
Fisher, C. K., 860, 1072
Flanders, S. E., 724, 862, 966, 1197
Flint, W. P., 121, 141
Flour beetle, confused, 290, 405, 842
Fluke, C. L., 1142
Fluorine compounds, 291
Folsom, J. W., 744, 1106
Forcipomyia cilipes, 206
Forficula auricularia, 566, 919
Foulbrood, American, 601
  European, 656
Fox, Henry, 461
Fracker, S. B., 574
fragariae, Chrysobothris, 561
fragilis, Campodea, 743
Frankliniella fusca, 740, 1158
  gossypii, 1100
  tritici, 740, 1158
Freeborn, S. B., 382
Friend, R. B., 334
frontalis, Dendroctonus, 716
Frost, S. W., 459
Fruit fly parasites, 891
frustrana, Rhyacionia, 198
fullawayi, Diachasma, 891
Fulmer, E. I., 652
fulvoguttata, Melanophila, 200
funeralis, Desmia, 859
fusca, Frankliniella, 740, 1158

Gahan, J. B., 1140
Gaines, J. C., 740
Gaines, R. C., 745
Galerucella xanthomelaena, 196
gallicola, Cephalonomia, 801
Gambrell, F. L., 1159
Gardner, T. R., 497
Garman, Philip, 361
geniculata, Cyrtopeltis, 564
giffardianus, Tetrastichus, 891
Gillespie, A. M., 340
Gilmore, J. U., 291
Ginsburg, J. M., 393, 446, 1186
Gipsy moth, 49, 197, 320, 585
gladioli, Taeniothrips, 565, 1159
Gladiolus thrips, 566, 1159
Glasgow, Hugh, 303
gloriola, Eucosma, 198, 560
Glossonotus crataegi, 365
Gnat, Clear Lake, 1056
  injury, 106
Gnorimoschema lycopersicella, 559
gossypiella, Pectinophora, 820
gossypii, Contarinia, 758
  Eriophyes, 760
  Frankliniella, 1100
  Nepticula, 761
  Phenacoccus, 564
Gould, Edwin, 229
gracilipes, Histiostoma, 207
graciosus, Sceloporus, 720
Graham, A. B., 685
Grain borer, lesser, 768
Granett, Philip, 446
Grape leafhopper, 1064
Graphium ulmi, 569
Grapholitha molesta, 814
Grasshopper baits, 89, 705
  control, 96, 694
Grasshoppers, 548
Green fruit beetle, 1110
  June beetle, 69
Griswold, Grace H., 862
Gryllus assimilis, 744

Haematobia serrata, 989
Haley, D. E., 232
Haller, H. L., 1176
Hallock, H. C., 476
Halowax, 393
Hamilton, C. C., 446
Hammer, O. H., 292, 367, 421
Harman, S. W., 143, 222
Harris, H. M., 854
Harrison, A. S., 924
Hartman, R. E., 559
Hartzell, Albert, 217
Hartzell, F. Z., 453
Haseman, L., 702, 1189
Hawley, I. M., 503
Haydite hive, 702

Headlee, T. J., 148
hebes, Moganni, 888
hebetor, Microbracon, 1197
Heliothis obsoleta, 213
Hellebore, 446
hemipterus, Carpophilus, 860
Hemlock borer, spotted, 200
Hensill, G. S., 834
Herbert, F. B., 1040
Herms, W. B., 298, 987, 1014, 1055
Herms, H. P., 987
Herrick, G. W., 1095
hesperus, Lygus, 265
Heteroderes laurentii, 561
Hickory bark beetle, 199
Hicock, H. W., 344
Hinds, W. E., 37, 788
hispidula, Sitona, 807
Histiostoma gracilipes, 207
Hixson, Ephraim, 547
Hodgkiss, H. E., 232, 244, 669
Holbert, J. R., 121
Holloway, J. K., 1196
Honey granulation, 652
Honey weights, 608, 611
Honeybee, 1079
Honeybee characteristics, 641
  flight, 624
  ovarioles, 629
  ventriculus, 924
Hong, T. H., 914
Horn flies, 989
  worm larvae, 290
Horner, A. C., 298
horni, Pharoscymnus, 723
Horse flies, 990
Horsfall, J. L., 259
Horsfall, W. R., 405
Hoskins, W. M., 924, 1029
Hough, W. S., 145, 1103
Huber, L. L., 1166
Huckett, H. C., 156, 440
Humidity, relative, 618, 638
humilis, Opius, 891
Hutson, Ray, 365
hyacinthi, Rhizoglyphus, 1161
Hydrophids, 973
Hylurgopinus rufipes, 866
Hypera punctata, 813
Hyslop, J. A., 559

Imbricated snout beetle, 813
imbricatus, Epicaerus, 813
impasta, Anomis, 761
incepta, Melampsalta, 886
inconsequens, Taeniothrips, 879
Index report, 6
interpunctella, Plodia, 1071, 1197
Insect collections, 18, 39
Insect pest survey, 41
Insect survey, 735
Insecticides, 43
Insecticides, organic, 148
iridis, Bregmatothrips, 565
Isely, Dwight, 762
Isotomurus palustris, 180
ivana, Tortrix, 560, 720

Jacot, A. P., 858
Japanese beetle, 196, 293, 461, 473, 482, 491, 497, 500, 503, 514
  scale, 481
japonica, Leucaspis, 481
  Popillia, 196, 293, 461, 473, 482, 491, 497, 500, 503, 514
Jayne, D. W., 259
Jones, M. P., 817
Jones, T. H., 297
Journal officers, 29, policy, 21, report 7

Kearns, C. W., 801
Keck, C. B., 908
Kellogg, C. R., 641
King, P. E., 601
Knight, Hugh, 269
Knowlton, G. F., 547, 998, 1197
Knull, J. V., 716, 866
Kofoid, C. A., 298
kuehniella, Ephestia, 1071

lacustris, Chaoborus, 1056
La Follette, J. R., 978
lambdiensis, Rhabditis, 1189
Langford, G. S., 210
lanigerum, Eriosoma, 779
Larch case bearer, 197
laricella, Coleophora, 197
larvae, Bacillus, 603
Lasioderma sericorne, 796, 801
laurentii, Heteroderes, 561
Lead arsenate, 421
Lefebvre, C. L., 1147
Leiby, R. W., 735
Leopard moth, 199
Lepidocyrtus cyaneus, 202
Leptocoris trivittatus, 1196
Leucaspis japonica, 481
leucopterus, Blissus, 854
Levine, N. D., 1170
Light, colored, 1055
Light, S. F., 298
Light traps, suction, 796
ligustici, Brachyrhinus, 562
Lilly, G. H., 1142
Lily thrips, 566
Lima bean vine borer, 719
Limnobia ultima, 290
Linopodes antennaepes, 207
Lindgren, D. L., 842
linneella, Chrysoclista, 560
lintneri, Tyroglyphus, 207
Lipp, J. W., 500

Listroderes obliquus, 562
Literature, 38
Livingstone, E. M., 796
Lizards, range, 998
Loco poisoning, 635
Locust borer, 199
longana, Ablabia, 561
longispinus, Pseudococcus, 966
Lucilia sericata, 1034
lycopersicella, Gnorimoschema, 559
Lygus elisus, 265
  hesperus, 265

MacLeod, G. F., 106
Macrocentrus ancylivorus, 1196
Macrosiphum pisi, 262
Macrotristria angularis, 888
maculipennis, Anopheles, 995
  Plutella, 388, 441
Magicada septendecim, 885
maidis, Aphis, 827
mali, Dasyneura, 355, 564
Mammals, small, 482
mancus, Agriotes, 308
mangiferae, Sternochetus, 903
Mango weevil, 902
Marcovitch, M., 779, 785
marginata, Epicauta, 73
Marlowe, R. H., 914, 1100
Marshall, James, 873
Marshall, G. E., 807
Marvin, Geo. E., 608
Mason, A. C., 891, 897, 902
Maughan, F. B., 109
McBride, O. C., 897, 902
McGregor, E. A., 543, 974
McKenzie, H. L., 1110
McLean, H. C., 168
Mealy bugs, 1186
Medical entomology, 47
Mediterranean fruit fly, 51, 891, 897, 908, 914, 1100
Megaselia agarici, 203
Melampsalta incepta, 886
  sp., 888
Melanophila fulvoguttata, 200
Melanoplus mexicanus, 548
  packardii, 548
Menusan, H., 112
Mercaptans, 1176
Meyer, H. U., 1192
Metzger, F. W., 292, 473
Mexican fruit worm, 52
mexicanus, Melanoplus, 548
Mice, 483–485
Michelbacher, A. E., 960, 1119
Microbracon cushmani, 859
  hebetor, 1197
Milam, Joe, 291
Milliped injury, 106
minor, Platypedia, 888
Moganni hebes, 888
Mole, 482
molesta, Grapholitha, 814
Monnig, H. O., 1200
Monoptilota pergratialis, 719
Moore, Wm., 1042
Morrill, A. W., 796
Morton, F. A., 89
Mosquito control, 46, 683, 1014
  eggs, 289
Mosquitoes, 987
Moth repellents, 1095
multistriatus, Scolytus, 315, 858, 865
Munger, F., 817, 1140
Mushroom insects, 200
Myelois venipars, 547
Mylabris obtectus, 405

Nicotine, 873, 1102, 1192
nigrella, Ephestiodes, 1071
nitida, Allorhina, 69
nubilalis, Pyrausta, 1147
Nursery regulations, 581
Nantucket pine moth, 198
Naphthalene, 109, 401, 500
Nash, R. W., 336
Nectar concentration, 943
nemorata, Phyllotoma, 342
Nepticula gossypii, 761
  sericopeza, 561
Nerve lesions, 217
Nettles, W. C., 814, 1198
Newcomer, E. J., 139

obliquus, Listroderes, 562
obsoleta, Heliothis, 213
obsoletus, Crypticus, 561
obtectus, Mylabris, 405
ochracea, Tibicen, 888
Oertel, E., 1111
Oil deposits, 834
Oil emulsions, summer, 459
Oil sprays, 269
Okanagana cruentifera, 887
Olfactometer, insect, 1029
Onion thrips, 109, 860
operculella, Phthorimaea, 210
Ophionyssus serpentium, 1004
Opius humilis, 891
Orchestes refipes, 336
Oriental fruit moth, 814
ornatus, Trichodes, 724
orni, Cicada, 888
oryzae, Sitophilus, 768, 843, 1131
Osborn, Herbert, 598
Osburn, M. R., 293
Osterberger, B. A., 788

Pacific science congress, 26
  slope branch 871
Package bees, 191

packardii, Melanoplus, 548
palustris, Isotomurus, 180
Pangaeus uhleri, 564
Paper band, dipping, 817
Paradichlorobenzene, 401, 500
Paratrioza cockerelli, 547
Park, O. W., 652
Parker, J. R, 89
Parker, L. B., 486
Parker, W. B., 1036
Parrott, P. J., 124, 218, 370
Pea aphid, 262
Pea weevil, 981
Peach aphis, green, 549
  beetle, green, 1110
  borer, 771
  leaf curl, 785
Pear psylla, 286
  thrips, 879
Pearce, G. W., 421, 453
Pecan weevil, 1128
Pectinophora gossypiella, 820
Peirson, H. B., 340
pennsylvanica, Epicauta, 73
Pepper, B. B., 249
Pepper, J. H., 290
pergratialis, Monoptilota, 719
Periplaneta americana, 1171
Persing, C. O., 1192
Pest control, 1078
Peterson, Alvah, 1106
Petroleum distillate, 1186
  fly sprays, 382
Pharoscymnus horni, 723
Phenacoccus gossypii, 564
Phrynosoma douglassii, 1002
  platyrhinos, 1002
Phthorimaea operculella, 210
Phyllotoma nemorata, 342
phylloxerae, Rhizoglyphus, 207
piceae, Adelges, 340
picirostris, Tychius, 563, 1103
Pierce, W. D., 185
Pine beetle, southern, 716, 1132
  western, 1132
Pink bollworm, 820
Pine shoot moth, 197, 208, 334, 344, 572
  tip beetle, 198
pipiens, Culex, 1176
pisi, Macrosiphum, 262
pisorum, Bruchus, 534, 981
Pissodes strobi, 197, 344
Pityophthorus pulicarius, 198
Plagiodera versicolora, 196
Plant board, National, 589
  Southern, 590
  Western, 590
Plant quarantine, 48
Plath, O. E., 726
Platynota stultana, 560, 974
Platypedia areolata, 888
  minor, 888
  putnami, 887
Platyptilia carduidactyla, 1062
Plectris aliena, 721
Plodia interpunctella, 1071, 1197
Plum curculio, 682
Plumb, G. H., 344
Plutella maculipennis, 388, 441
pluton, Bacillus, 656
polytomum, Diprion, 565
pomaria, Typhlocyba, 361
pometaria, Alsophila, 195
pomonella, Carpocapsa, 134, 139, 141, 143, 145, 146, 218, 222, 225, 229 232, 240, 244, 249, 346, 370, 379
  Rhagoletis, 291, 352
Pomphopoea aenea, 73
Poos, F. W., 58
Popillia japonica, 196, 293, 461, 473, 482, 491, 497, 500, 503, 514
popilliavora, Tiphia, 514
Porthetria dispar, 197, 320
Potassium bicarbonate, 1170
  chloride, 1170
Potato flea beetle, 102, 118
  leafhopper, 80, 525
  psyllid, 547
  spraying, 112
  tuber moth, 210
Price, W. A., 69
Proisotoma sp., 202
Proper, A. B., 296
pruniella, Coleophora, 1142
Pseudocneorrhinus setosus, 563
Pseudococcus longispinus, 966
Ptinus tectus, 562
pulicarius, Pityophthorus, 198
pullata, Fidicina, 885
punctata, Hypera, 813
punctifer, Tabanus, 990
putnami, Platypedia, 887
Pyralis farinalis, 1071
Pyrausta nubilalis, 1147
Pyrethrum, 388, 525, 1101
pyri, Dasyneura, 565
pyrina, Zeuzera, 199

quadrigibbus, Tachypterellus, 291, 367
quadrispinosus, Scolytus, 199
Quarantines, foreign, 52
Quarantine and inspection, 557
  legislation, 574
Quayle, H. J., 1083, 1100
Queen bee, 1111
quinquefasciatus, Culex, 289, 1176

Rainwater, C. F:, 756
ramifer, Dolichopus, 1198
Randall, Merle, 298
Range lizard, 720

Rawlins, W. A., 308
Red scale, 1042
Reed, W. D., 796
Regan, Wm. M., 382
reversalis, Tholeria, 559
Rex, E. G., 557
Rhabditis lambdiensis, 1189
Rhagoletis pomonella, 291, 352
Rhegmoclema sp., 206
Rhizoglyphus hyacinthi, 1161
  phylloxerae, 207
Rhizopertha dominica, 768
Rhodoneura terminalis, 757
Rhyacionia buoliana, 197, 208, 334, 344, 572
  frustrana, 198
Rice, P. L., 265
Rice, stored, insects, 767
  weevil, 768, 842
Richardson, C. H., 1170
Richmond, E. A., 973
robiniae, Cyllene, 199
Robinson, R. H., 162
Rohrbaugh, P. W., 1083
Root maggot, 303
Ross, Wm. A., 146
Rotenone and derris, 293
rufipes, Hylurgopinus, 866
  Orchestes, 336
Ruggles, A. G., 96, 581, 743
rumicis, Aphis, 398

saccharalis, Diatraea, 789
salmani, Coleophora, 561
San Jose scale, 785
Saperda tridentata, 859
Scale pests, 978
Sceloporus elongatus, 1001
  graciosus, 720, 1000
  magister, 1002
  occidentalis, 1002
Schoene, W. J., 505
Schroeder, C. R., 1004
Scolytus multistriatus, 315, 858, 865
  quadrispinosus, 199
  scolytus, 865
Searls, Ed. M., 80, 290
Senna pest, 557
septendecim, Magicada, 885
sericata, Lucilia, 1034
sericopeza, Nepticula, 561
Sericothrips variabilis, 740
serpentium, Ophionyssus, 1004
serratilineella, Vitula, 1071
serricorne, Lasioderma, 796, 801
setipennis, Digonochoeta, 863
setosus, Pseudocneorrhinus, 563
Shade tree insects, 195
Shaw, F. R., 352, 861
Shepard, H. H., 842
Shotwell, R. L., 89
Shrew, 483
Shull, W. E., 265
Siegler, E. H., 817, 1140
Sim, R. J., 482
Simmons, Perez, 1072
Sitona cylindricollis, 562
  hispidula, 807
Sitophilus oryzae, 768, 843, 1131
Sitotroga cerealella, 768
Sitotroga production, 1197
Sleesman, J. P., 1166
Smith, C. F., 1197
Smith, L. B., 244
Smith, L. E., 1176
Smith, R. H., 1192
Snake mite, 1004
Snapp, O. I., 771, 832
Soaps, 398
Sodium bicarbonate, 1170
  chloride, 1170
sphaerosperma, Empusa, 861
Spray poison, 614
  regulation, 832
  residue, 124, 125, 168
  service, 681
Spraying, 292
Spring tails, 200
Spruijt, F. J., 713, 845
Stable fly, 1197
Stanford, J. S., 1197
Stanley, W. W., 785
Station entomology, 40
Stearns, L. A., 225, 679
Steinweden, J. B., 919
Stene, A. E., 566
Sternochetus mangiferae, 903
Stomoxys calcitrans, 1197
Stracener, C. L., 767
Strand, A. L., 298
Streptococcus apis, 656
strobi, Pissodes, 197, 344
stultana, Platynota, 560, 974
Swift, sagebush, 720
Swingle, M. C., 1102
Subfreezing temperatures, 902
subnudus, Anacentrinus, 563
subviridis, Epinotia, 560
Sugarcane borer, 788
Sullivan, W. V., 1176
Sulphur fumigation, 518
Susana supressi, 565
sydneyensis, Anarhopus, 966
Synergistic effect, 1170
Synthetic organic compounds, 1176

tobaci, Thrips, 109, 1158
Tabanus punctifera, 990
Tachypterellus quadrigibbus, 291, 367
Taeniothrips atratus, 565
  gladioli, 565, 1159
  inconsequens, 879

Tar distillates, 453
tau, Ceutorhynchus, 563
Teaching, 39
tectus, Ptinus, 562
Telsimia emarginata, 723
Temnochila virescens, 72
Temperature, 1083
Temperatures, bark, 1132
  low, 897
terminalis, Rhodoneura, 757
Termites, 298
territans, Culex, 1176
Tetrastichus giffardianus, 891
texana, Cotinis, 1110
Thies, W. H., 352
Tholeria reversalis, 559
Thomas, C. A., 200
Thompson, B. G., 72
Thompson, G. A., 549
Thomson, J. R., 832
Thrips tabaci, 109, 1158
Tibicen cinctifera, 886
  davisi, 564, 885
  ochracea, 888
Tineola bisselliella, 860
Tiphia popilliavora, 514
  vernalis, 491, 497
Tortilia sp., 557
Tortrix ivana, 560, 720
Training entomologists, 53
Trapping, field, 1067
Tribolium confusum, 290, 405, 843, 1131
Trichalophus didymus, 563
Trichodes ornatus, 724
Trichogramma, 788
tridentata, Saperda, 859
tritici, Frankliniella, 740, 1158
trivittatus, Leptocoris, 1196
Tropical Plant Research, 13
Tropisternus sp., 973
tryoni, Diachasma, 891
tuberculatus, Eumerus, 845
Tychius picirostris, 563, 1103
Typhlocyba pomaria, 361
Tyroglyphus lintneri, 207

ulmi, Graphium, 569
uhleri, Pangaeus, 564
ultima, Limnobia, 290
unicolor, Centeter, 486
Uta levis, 999
  stansburiana, 999

Vansell, G. H., 635, 943
Vapo dust method, 1036
Vapor spraying, 1040
variabilis, Sericothrips, 740
venipars, Myelois, 547
vernalis, Tiphia, 491, 497
versicolora, Plagiodera, 196
Veterinary Helminthology and Entomology, 1200
Vickery, R. C., 1078
virescens, Temnochila, 72
vitripennis, Diceroprocta, 887
Vitula serratilineella, 1071

Wakeland, Claude, 534, 981
Walker, H. G., 388
Wall, R. E., 297
Wardle, R. A., 1106
Washing apples, 162
Watkins, W. G., 635, 1158
Weber, A. L., 168
Webster, R. L., 134, 410, 614, 873
Weevil, rice, 1131
Weiss, H. B., 557
West, A. S., 334
Wheat bunt, 548
Wheat wireworm, 308
Wheeler, C. M., 987
Wheeler, Nancy H., 58
Whitcomb, W. D., 355
White pine shoot moth, 198
  pine weevil, 197, 344
White, W. B., 125
Wilbur, D. A., 807
Williams, C. B., 719
Willow flea beetle, 336
  leaf beetle, 196
Wilson, H. F., 291
Woglum, R. S., 978
Wolfenbarger, D. O., 118, 638
Woodrow, A. W., 611, 618, 624
Woolly aphis, 779
Worthley, H. N., 232, 240, 346
Wymore, F. H., 884

xanthomelaena, Galerucella, 196
Xylotrechus quadrimaculatus, 199

Yellow fever mosquito, 993
Young, M. T., 749
Young, P. A., 548

Zeisert, E. E., 73
Zeuzera pyrina, 199